

X-TOOL

ONE DEVICE, MANY USES



X-TOOL

PROFESSIONAL VACUUM CLEANER FOR CONSTRUCTION SITES AND CRAFTSMEN



COMPACT AND EASY TO HANDLE FOR YOUR WORK

The XTOOL is our professional vacuum cleaner designed for construction sites, workshops, car body shops and all craftsmen activities. The vacuum cleaner is equipped with a large filtering surface and has an excellent working autonomy with all kind of fine and humid dust. When the HEPA filters are clogged, it is possible to clean them automatically without interruptions. The electronic system guarantees a soft start mode for starting the suction motor and the automatic switch-off when the tank is full of liquids, in addition to the AUTOMATIC STARTER used with the electric and/or pneumatic tool.





**CONTROL PANEL
AND INTUITIVE
DESIGN DETAILS**




**THE LARGE
REAR WHEELS
GUARANTEE MORE
STABILITY OF THE
MACHINE**



**SWIVEL FRONT
WHEELS WITH
BRAKE**



**LARGE CONTAINER
FOR AMPLE
QUANTITIES OF DUST**



**DESIGNED
TO OPTIMIZE
MANOEUVRABILITY
AND STORAGE AT
THE END OF USE**

MODEL	XT14E	XT14A	XT14EA
POWER SUPPLY	230V~ 50/60Hz	230V~ 50/60Hz	230V~ 50/60Hz
MOTOR POWER	1400W	1400W	1400W
MOTOR TYPE	Double Stage By-Pass (option: also High Speed By-pass)	Double Stage By-Pass (option: also High Speed By-pass)	Double Stage By-Pass (option: also High Speed By-pass)
AIR FLOW	56l/s	56l/s	56l/s
WATERLIFT	245mbar	245mbar	245mbar
DUST CONTAINER CAPACITY	35l	35l	35l
NOISE LEVEL	67dB(A) at 3m	67dB(A) at 3m	67dB(A) at 3m
POWER CORD LENGHT	8,5m	8,5m	8,5m
POWER CORD TYPE	H07RN-F 3x1,5mm ²	H07RN-F 3x1,5mm ²	H07RN-F 3x1,5mm ²
FILTER CLEANING	automatic	automatic	automatic
FILTERING SURFACE	8700 cm ²	8700 cm ²	8700 cm ²
FILTER TYPE	H class with PTFE treatment	H class with PTFE treatment	H class with PTFE treatment
CLASS (REF. IEC 60335-2-69)	M	M	M
OUTLET AIR FILTER	YES	YES	YES
DUST BAG	YES - filter material in H class (HEPA)	YES - filter material in H class (HEPA)	YES - filter material in H class (HEPA)
DUST BAG CAPACITY	30 lt	30 lt	30 lt
POWER TOOL SOCKET	YES - Max Power 2000W	NO	YES - Max Power 2000W
PNEUMATIC TOOL SOCKET	NO	YES (range min/max 4 - 12bar)	YES (range min/max 4 - 12bar)
FILTER CONTROL ALARM LIGHT	YES	YES	YES
ACCESSORIES STORAGE SYSTEM	YES	YES	YES
AIR/HOSE ALARM SELECTOR	Ø28 / 32 / 38 mm	Ø28 / 32 / 38 mm	Ø28 / 32 / 38 mm
VISUAL AND SONOROUS ALARM	YES	YES	YES
SUCTION INLET CLOSURE	optional	optional	optional
SOFT START/SOFT SHUTDOWN	YES	YES	YES
LIQUID LEVEL SENSOR	YES automatic shutdown of the suction	YES automatic shutdown of the suction	YES automatic shutdown of the suction
ANTISTATIC PROTECTION	YES	YES	YES
ACCESSORIES HOLDER	YES	YES	YES
GENERAL INFO	industrial front wheels with brake	industrial front wheels with brake	industrial front wheels with brake
MACHINE DIMENSION (PxLxH)	57x39x58,5 cm	57x39x58,5 cm	57x39x58,5 cm
BOX DIMENSION (PxLxH)	58x40x65 cm	58x40x65 cm	58x40x65 cm
MACHINE WEIGHT	17,5kg (16,4kg with High Speed Motor)	17,5kg (16,4kg with High Speed Motor)	18,5kg (17,4kg with High Speed Motor)
Q.TY' ON EURO PALLET 120x80 CM	12pcs with H 210 cm	12pcs with H 210 cm	12pcs with H 210 cm
Q.TY' ON PALLET 120x120 CM	18pcs with H 210 cm	18pcs with H 210 cm	18pcs with H 210 cm
Q.TY' IN 20" BOX	162pcs	162pcs	162pcs
Q.TY' IN 40" HIGH CUBE BOX	436pcs	436pcs	436pcs



PRACTICAL AND QUICK OPENING OF COMPARTMENTS FOR REPLACEMENT AND CLEANING OF FILTERS





The X-TOOL vacuum cleaner is the best ally for removing dust and debris generated on a construction site. The vacuum cleaner has a very large collection compartment, it sucks up any type of dirt: fine dust, damp dust or coarse debris. The power levels and the large collection compartment complete the job quickly and precisely. Our vacuum cleaners are robust and designed to work with many tools and various accessories in the most difficult conditions, facilitating on-site performance and safeguarding the health of operators.

X-TOOL

CONSTRUCTION





X-TOOL

AUTOMOTIVE




Some aspects to consider when choosing a suitable bodywork vacuum cleaner are certainly the filter unit, the motor power and the accessories for the various processes. The characteristics of X-TOOL are designed for this specific sector and guarantee not only the protection of the working environment, but also greater comfort and professionalism for the operator. The advanced electronics allow the automatic start of the suction and cleaning of the filter by turning on and releasing the tool. In addition, the X-TOOL vacuum cleaner is equipped with an excellent system that guarantees the M-Class filtration, with an efficiency of 99.9% for the safety of working environments.





X-TOOL

NAUTICAL



The use of an X-TOOL vacuum cleaner in the nautical sector guarantees excellent suction performance for removal of residual dust which can often be extremely harmful to the health of workers. The micro particles of residual materials can get into the various environments and compromise subsequent processes unless cleaned thoroughly. Environments and surfaces must be as clean as possible and free of dusty residues, such as fiberglass and hull debris. The XTOOL vacuum cleaner guarantees a high level of filtration by re-emitting clean and healthy air output for the operator.






X-TOOL

JOINERY

The use of the X-TOOL vacuum cleaner for wood dust plays a central role in cleaning and maintaining carpentry machinery : dust gets everywhere particularly in delicate processing areas. This is why it is essential to use the X-TOOL vacuum cleaner which makes cleaning simple, quick and effective. In fact, it is possible to vacuum all the residual material that gets into tiny spaces of equipment during sanding processes. This reduces tool wear and machine breakdowns. Every machine in an operating system is important to each of its specific functions and the production of waste material is inevitable. Non-aspirated processing residues lead to poor surface finishes and in the most serious cases to evident scratches on the finished product.





X-TOOL

Standard Accessories



ACTX028 for XT14E
Flexible hose 3,3mt Ø28 complete



ACTX028P for XT14EA
Flexible with pneumatic hose Ø28 - 4,5mt



F11890XT
Hepa filter PTFE XTOOL (2pcs.)



FIHXT
Hepa bag XTOOL

Options KITW040XT



ACXT038
Complete flexible hose Ø40 - 2,5 mt



ACLP040
Crevice tool Ø40



ACTC038CF
Chrome extension wand Ø40



ACTC038C
Chrome curved extension wand-male Ø40



ACCS400F
Dry Floor Nozzle L400mm



ACCV400F
Wet Floor Nozzle L400mm



ACPE040
Dusting brush Ø36



580 x 410 x 715 H mm

X-TOOL



Elsa s.r.l.
Zona A.S.I. Fasano Sud SNC
72015 Fasano (Br) - Italia
Tel. +39 080 969 60 00
Fax +39 080 442 33 57
email: info@elsea.it

5th September 2022

Follow us:



www.elsea.it